

TESTS FOR BICYCLE HELMETS IN ACCORDING CPSC 16 CFR Part 1203	
Report	Code: DBX 3.0 CPSC 160920 Emission date: 20/09/16
Client	Name: Leatt® Corporation Address: No. 50 Kiepersol Crescent- Atlas Gardens Atlas Gardens Cape Town Republic of South Africa
Sample	Helmet model: DBX 3.0 Enduro Certification n°: Stickers from n°: to n°: Batch n°: Arrival date: 14/09/16 Testing date: 19/09/16

GENERAL SPECIFICATION TEST			
<i>Internal Identification Test: CP01</i>			
Helmet Internal Id:	16-1962		
Helmet Client Id:	DBX 3.0 Enduro		
Helmet Size:	XL-62		
Reference	General Specifications	Result	
		Pass	Fail
1203.5	Construction requirements - projections	X	
1203.6	Labeling and instructions		X
1203.14	Peripheral vision: Lateral visual clearance $\geq 105^\circ$	X	
1203.11	Extent of protection	X	

Note: FT 62



FRONT VIEW



SIDE VIEW



REAR VIEW

LABELING

INSTRUCTIONS BOOK

MARKING

Instruments System check

SYSTEMS CHECK	TRIAL DROP	DROP HEIGHT (cm)	VEL. (m/s)	PEAK g	TEST RECORD	
PRETEST	1	144	5.45	402	SLUG	1
	2	144	5.44	412	SLUG	1
	3	146	5.46	420	SLUG	1
PRETEST AVERAGE		xxxxxxx	xxxxxxx	411		xxxxxx
POST TEST	1	144	5.44	411	SLUG	1
	2	147	5.44	424	SLUG	1
	3	149	5.48	416	SLUG	1
POSTTEST AVERAGE		xxxxxxx	xxxxxxx	417		xxxxxxx
DIFFERENCE BETWEEN PRETEST AND POST TEST AVERAGES				6		

1)DIFFERENCE BETWEEN PRETEST AND POST TEST WITHIN THE RANGE OF 380 g TO 425 g

2)THE DIFFERENCE BETWEEN PRETEST AND POST TEST NOT BE GREATER THAN 20 g

TEST PERFORMANCE ACCORDING TO

1203-17(1) Instruments System check

Marc 10, 1998

IMPACT ATTENUATION TEST						
<i>Internal Identification Test: CP02</i>					Ref. 1203.17	
Helmet Internal Id: 16-1962			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
XL	ISO O	Front	FLAT	+53	6.24	174
		Side R	FLAT		6.20	162
		Side L	HEMI		4.81	88
		Rear	HEMI		4.83	96
Helmet Internal Id: 16-1963			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
XL	ISO O	Front	HEMI	-17	4.80	137
		Side R	HEMI		4.84	146
		Side L	FLAT		6.26	159
		Rear	FLAT		6.21	203

IMPACT ATTENUATION TEST						
<i>Internal Identification Test: CP02</i>					Ref. 1203.17	
Helmet Internal Id: 16-1964			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
XL	ISO O	Front	FLAT	AMB	6.23	149
		Side R	FLAT		6.23	159
		Side L	HEMI		4.86	116
		Rear	HEMI		4.82	135
Helmet Internal Id: 16-1965			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
XL	ISO O	Front	HEMI	WET	4.81	116
		Side R	HEMI		4.86	173
		Side L	FLAT		6.25	154
		Rear	FLAT		6.24	187


IMPACT ATTENUATION TEST						
<i>Internal Identification Test: CP02</i>					Ref. 1203.17	
Helmet Internal Id: 16-1966			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
XL	ISO O	Front	CURB	+53	4.86	54
		Side R				
		Side L				
		Rear				
Helmet Internal Id: 16-1967			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
XL	ISO O	Front		-17		
		Side AirV	CURB		4.80	100
		Side L				
		Rear				

IMPACT ATTENUATION TEST						
<i>Internal Identification Test: CP02</i>					Ref. 1203.17	
Helmet Internal Id: 16-1968			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
XL	ISO O	Front		AMB		
		Side R				
		Side AirV	CURB		4.83	98
		Rear				
Helmet Internal Id: 16-1969			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
XL	ISO O	Front		WET		
		Side R				
		Side L				
		Rear	CURB		4.86	72

DYNAMIC STRENGTH OF RETENTION SYSTEM TEST					
<i>Internal Identification Test: CP03</i>					Ref. 1203.16
Helmet DBX V5.0					Extension
Sticker n°	Helmet Internal Id	Helmet Client Id	Size	Chin strap	Dinamical ≤ 30 [mm]
	16-1479	DBX 3.0En	62	MICRO	21
	16-1480	DBX 3.0En	62	MICRO	24
	16-1481	DBX 3.0En	62	MICRO	22
	16-1482	DBX 3.0En	62	MICRO	23

POSITIONAL STABILITY TEST (ROLL OFF RESISTANCE)				
<i>Internal Identification Test: CP04</i>				Ref. 1203.15
Helmet Internal Id: 16-1485		Helmet Client Id: DBX 3.0		
Sticker n°	Helmet Size	Chin strap	Result	
			Pass	Fail
	XL	MICRO	X	

Laboratory Technician
(Adolfo Garlando)



Laboratory Manager
(Juan Pablo Cuesta)



TESTS FOR BICYCLE HELMETS IN ACCORDING CPSC 16 CFR Part 1203	
Report	Code: DBX 3.0 CPSC 160920 Emission date: 20/09/16
Client	Name: Leatt® Corporation Address: No. 50 Kiepersol Crescent- Atlas Gardens Atlas Gardens Cape Town Republic of South Africa
Sample	Helmet model: DBX 3.0 Enduro Certification n°: Stickers from n°: to n°: Batch n°: Arrival date: 14/09/16 Testing date: 19/09/16

GENERAL SPECIFICATION TEST			
<i>Internal Identification Test: CP01</i>			
Helmet Internal Id:	16-1962		
Helmet Client Id:	DBX 3.0 Enduro		
Helmet Size:	L-60		
Reference	General Specifications	Result	
		Pass	Fail
1203.5	Construction requirements - projections	X	
1203.6	Labeling and instructions		X
1203.14	Peripheral vision: Lateral visual clearance $\geq 105^\circ$	X	
1203.11	Extent of protection	X	

Note: FT 60



FRONT VIEW



SIDE VIEW



REAR VIEW

LABELING

INSTRUCTIONS BOOK

MARKING

Instruments System check

SYSTEMS CHECK	TRIAL DROP	DROP HEIGHT (cm)	VEL. (m/s)	PEAK g	TEST RECORD	
PRETEST	1	142	5.44	412	SLUG	1
	2	146	5.44	418	SLUG	1
	3	146	5.45	421	SLUG	1
PRETEST AVERAGE		xxxxxxx	xxxxxxx	417		xxxxxx
POST TEST	1	144	5.44	421	SLUG	1
	2	145	5.47	404	SLUG	1
	3	149	5.48	406	SLUG	1
POSTTEST AVERAGE		xxxxxxx	xxxxxxx	410		xxxxxxx
DIFFERENCE BETWEEN PRETEST AND POST TEST AVERAGES				7		

1)DIFFERENCE BETWEEN PRETEST AND POST TEST WITHIN THE RANGE OF 380 g TO 425 g

2)THE DIFFERENCE BETWEEN PRETEST AND POST TEST NOT BE GREATER THAN 20 g

TEST PERFORMANCE ACCORDING TO

1203-17(1) Instruments System check

Marc 10, 1998

IMPACT ATTENUATION TEST						
<i>Internal Identification Test: CP02</i>					Ref. 1203.17	
Helmet Internal Id: 16-1970			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
L	ISO M	Front	FLAT	+53	6.24	188
		Side R	FLAT		6.22	192
		Side L	HEMI		4.81	90
		Rear	HEMI		4.84	95
Helmet Internal Id: 16-1971			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
L	ISO M	Front	HEMI	-17	4.84	82
		Side R	HEMI		4.82	153
		Side L	FLAT		6.20	195
		Rear	FLAT		6.25	124

IMPACT ATTENUATION TEST						
<i>Internal Identification Test: CP02</i>					Ref. 1203.17	
Helmet Internal Id: 16-1972			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
L	ISO M	Front	FLAT	AMB	6.21	138
		Side R	FLAT		6.21	171
		Side L	HEMI		4.87	200
		Rear	HEMI		4.80	71
Helmet Internal Id: 16-1973			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
L	ISO M	Front	HEMI	WET	4.82	92
		Side R	HEMI		4.84	115
		Side L	FLAT		6.23	150
		Rear	FLAT		6.23	153

IMPACT ATTENUATION TEST						
<i>Internal Identification Test: CP02</i>					Ref. 1203.17	
Helmet Internal Id: 16-1974			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
L	ISO M	Front	CURB	+53	4.86	112
		Side R				
		Side L				
		Rear				
Helmet Internal Id: 16-1975			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
L	ISO M	Front		-17		
		Side R	CURB		4.87	78
		Side L				
		Rear				

IMPACT ATTENUATION TEST

Internal Identification Test: CP02 Ref. 1203.17

Helmet Internal Id: 16-1976 **Helmet Client Id: DBX 3.0Enduro**

Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
L	ISO M	Front		AMB		
		Side R				
		Side R	CURB		4.86	136
		Rear				

Helmet Internal Id: 16-1977 **Helmet Client Id: DBX 3.0Enduro**

Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
L	ISO M	Front		WET		
		Side R				
		Side L				
		Rear	CURB		4.82	118

DYNAMIC STRENGTH OF RETENTION SYSTEM TEST

Internal Identification Test: CP03 Ref. 1203.16

Helmet DBX 3.0 Enduro					Extension
Sticker n°	Helmet Internal Id	Helmet Client Id	Size	Chin strap	Dinamical ≤ 30 [mm]
	16-1970	DBX 3.0En	60	MICRO	20
	16-1971	DBX 3.0En	60	MICRO	21
	16-1972	DBX 3.0En	60	MICRO	22
	16-1973	DBX 3.0En	60	MICRO	20


POSITIONAL STABILITY TEST (ROLL OFF RESISTANCE)

Internal Identification Test: CP04 Ref. 1203.15

Helmet Internal Id: 16-1976 **Helmet Client Id: DBX 3.0Enduro**

Sticker n°	Helmet Size	Chin strap	Result	
			Pass	Fail
	L	MICRO	X	

Laboratory Technician
(Adolfo Garlando)



Laboratory Manager
(Juan Pablo Cuesta)



TESTS FOR BICYCLE HELMETS IN ACCORDING CPSC 16 CFR Part 1203	
Report	Code: DBX 3.0 CPSC 160920 Emission date: 20/09/16
Client	Name: Leatt® Corporation Address: No. 50 Kiepersol Crescent- Atlas Gardens Atlas Gardens Cape Town Republic of South Africa
Sample	Helmet model: DBX 3.0 Enduro Certification n°: Stickers from n°: to n°: Batch n°: Arrival date: 14/09/16 Testing date: 19/09/16

GENERAL SPECIFICATION TEST			
<i>Internal Identification Test: CP01</i>			
Helmet Internal Id:	16-2038		
Helmet Client Id:	DBX 3.0Enduro		
Helmet Size:	M-58		
Reference	General Specifications	Result	
		Pass	Fail
1203.5	Construction requirements - projections	X	
1203.6	Labeling and instructions		X
1203.14	Peripheral vision: Lateral visual clearance $\geq 105^\circ$	X	
1203.11	Extent of protection	X	

Note: FT 57



FRONT VIEW



SIDE VIEW



REAR VIEW

LABELING

INSTRUCTIONS BOOK

MARKING

Instruments System check

SYSTEMS CHECK	TRIAL DROP	DROP HEIGHT (cm)	VEL. (m/s)	PEAK g	TEST RECORD	
PRETEST	1	144	5.44	420	SLUG	1
	2	146	5.44	420	SLUG	1
	3	145	5.45	422	SLUG	1
PRETEST AVERAGE		xxxxxxx	xxxxxxx	421		xxxxxx
POST TEST	1	144	5.45	421	SLUG	1
	2	142	5.46	414	SLUG	1
	3	149	5.44	406	SLUG	1
POSTTEST AVERAGE		xxxxxxx	xxxxxxx	414		xxxxxxx
DIFFERENCE BETWEEN PRETEST AND POST TEST AVERAGES				7		

1)DIFFERENCE BETWEEN PRETEST AND POST TEST WITHIN THE RANGE OF 380 g TO 425 g

2)THE DIFFERENCE BETWEEN PRETEST AND POST TEST NOT BE GREATER THAN 20 g

TEST PERFORMANCE ACCORDING TO

1203-17(1) Instruments System check

Marc 10, 1998

IMPACT ATTENUATION TEST						
<i>Internal Identification Test: CP02</i>					Ref. 1203.17	
Helmet Internal Id: 16-1978			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
M	ISO J	Front	HEMI	+53	4.83	86
		Side R	HEMI		4.83	98
		Side L	FLAT		6.20	206
		Rear	FLAT		6.20	131
Helmet Internal Id: 16-1979			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
M	ISO J	Front	FLAT	-17	6.21	182
		Side R	FLAT		6.20	182
		Side L	HEMI		4.89	100
		Rear	HEMI		4.89	94

IMPACT ATTENUATION TEST						
<i>Internal Identification Test: CP02</i>					Ref. 1203.17	
Helmet Internal Id: 16-1980			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
M	ISO J	Front	HEMI	AMB	4.86	138
		Side R	HEMI		4.85	141
		Side L	FLAT		6.20	202
		Rear	FLAT		6.27	152
Helmet Internal Id: 16-2017			Helmet Client Id: DBX 3.0 AllMtn			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
M	ISO J	Front	FLAT	WET	6.23	185
		Side R	FLAT		6.24	174
		Side L	HEMI		4.86	164
		Rear	HEMI		4.85	167

IMPACT ATTENUATION TEST						
<i>Internal Identification Test: CP02</i>					Ref. 1203.17	
Helmet Internal Id: 16-2018			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
M	ISO J	Front	CURB	+53	4.87	116
		Side R				
		Side L				
		Rear				
Helmet Internal Id: 16-2019			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
M	ISO J	Front		-17		
		Side R	CURB		4.86	115
		Side L				
		Rear				

IMPACT ATTENUATION TEST

Internal Identification Test: CP02 Ref. 1203.17

Helmet Internal Id: 16-2020 **Helmet Client Id: DBX 3.0Enduro**

Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
M	ISO J	Front		AMB		
		Side R				
		Side L	CURB		4.82	124
		Rear				

Helmet Internal Id: 16-2021 **Helmet Client Id: DBX 3.0Enduro**

Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
M	ISO J	Front		WET		
		Side R				
		Side L				
		Rear	CURB		4.85	149

DYNAMIC STRENGTH OF RETENTION SYSTEM TEST

Internal Identification Test: CP03 Ref. 1203.16

Helmet DBX3.0Enduro					Extension
Sticker n°	Helmet Internal Id	Helmet Client Id	Size	Chin strap	Dinamical ≤ 30 [mm]
	16-1978	DBX 3.0Enduro	57	MICRO	22
	16-1979	DBX 3.0Enduro	57	MICRO	23
	16-1980	DBX 3.0Enduro	57	MICRO	20
	16-2017	DBX 3.0Enduro	57	MICRO	25


POSITIONAL STABILITY TEST (ROLL OFF RESISTANCE)

Internal Identification Test: CP04 Ref. 1203.15

Helmet Internal Id: 16-2020 **Helmet Client Id: DBX 3.0 Enduro**

Sticker n°	Helmet Size	Chin strap	Result	
			Pass	Fail
	M	MICRO	X	

Laboratory Technician
(Adolfo Garlando)



Laboratory Manager
(Juan Pablo Cuesta)



TESTS FOR BICYCLE HELMETS IN ACCORDING CPSC 16 CFR Part 1203	
Report	Code: DBX 3.0 CPSC 160920 Emission date: 20/09/16
Client	Name: Leatt® Corporation Address: No. 50 Kiepersol Crescent- Atlas Gardens Atlas Gardens Cape Town Republic of South Africa
Sample	Helmet model: DBX 3.0Enduro Certification n°: Stickers from n°: to n°: Batch n°: Arrival date: 14/09/16 Testing date: 19/09/16

GENERAL SPECIFICATION TEST			
<i>Internal Identification Test: CP01</i>			
Helmet Internal Id:	16-2022		
Helmet Client Id:	DBX 3.0Enduro		
Helmet Size:	S-54		
Reference	General Specifications	Result	
		Pass	Fail
1203.5	Construction requirements - projections	X	
1203.6	Labeling and instructions		X
1203.14	Peripheral vision: Lateral visual clearance $\geq 105^\circ$	X	
1203.11	Extent of protection	X	

Note: FT 54



FRONT VIEW



SIDE VIEW



REAR VIEW

LABELING

INSTRUCTIONS BOOK

MARKING

Instruments System check

SYSTEMS CHECK	TRIAL DROP	DROP HEIGHT (cm)	VEL. (m/s)	PEAK g	TEST RECORD	
PRETEST	1	144	5.42	422	SLUG	1
	2	146	5.41	425	SLUG	1
	3	145	5.44	422	SLUG	1
PRETEST AVERAGE		xxxxxxx	xxxxxxx	423		xxxxxx
POST TEST	1	144	5.45	418	SLUG	1
	2	142	5.41	415	SLUG	1
	3	149	5.44	416	SLUG	1
POSTTEST AVERAGE		xxxxxxx	xxxxxxx	416		xxxxxxx
DIFFERENCE BETWEEN PRETEST AND POST TEST AVERAGES				7		

1)DIFFERENCE BETWEEN PRETEST AND POST TEST WITHIN THE RANGE OF 380 g TO 425 g

2)THE DIFFERENCE BETWEEN PRETEST AND POST TEST NOT BE GREATER THAN 20 g

TEST PERFORMANCE ACCORDING TO

1203-17(1) Instruments System check

Marc 10, 1998

IMPACT ATTENUATION TEST						
<i>Internal Identification Test: CP02</i>					Ref. 1203.17	
Helmet Internal Id: 16-2022			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
S	ISO E	Front	FLAT	+53	6.20	122
		Side R	FLAT		6.20	144
		Side L	HEMI		4.82	122
		Rear	HEMI		4.82	73
Helmet Internal Id: 16-2023			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
S	ISO E	Front	HEMI	-17	4.85	95
		Side R	HEMI		4.82	96
		Side L	FLAT		6.25	213
		Rear	FLAT		6.24	136

IMPACT ATTENUATION TEST						
<i>Internal Identification Test: CP02</i>					Ref. 1203.17	
Helmet Internal Id: 16-2024			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
S	ISO E	Front	FLAT	AMB	6.21	135
		Side R	FLAT		6.24	172
		Side L	HEMI		4.83	186
		Rear	HEMI		4.84	86
Helmet Internal Id: 16-2025			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
S	ISO E	Front	HEMI	WET	4.86	94
		Side R	HEMI		4.83	122
		Side L	FLAT		6.20	211
		Rear	FLAT		6.22	170


IMPACT ATTENUATION TEST						
<i>Internal Identification Test: CP02</i>					Ref. 1203.17	
Helmet Internal Id: 16-2026			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
S	ISO E	Front	CURB	+53	4.85	105
		Side R				
		Side L				
		Rear				
Helmet Internal Id: 16-2027			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
S	ISO E	Front		-17		
		Side R	CURB		4.80	77
		Side L				
		Rear				

IMPACT ATTENUATION TEST						
Internal Identification Test: CP02						Ref. 1203.17
Helmet Internal Id: 16-2028			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
S	ISO E	Front		AMB		
		Side R				
		Side L	CURB		4.86	121
		Rear				
Helmet Internal Id: 16-2029			Helmet Client Id: DBX 3.0Enduro			
Helmet Size	HeadForm Size	Impact area	Anvil	Cond. [°C]	Speed [m/s]	Deceleration ≤ 300 [g]
S	ISO E	Front		WET		
		Side R				
		Side L				
		Rear	CURB		4.84	96

DYNAMIC STRENGTH OF RETENTION SYSTEM TEST					
Internal Identification Test: CP03					Ref. 1203.16
Helmet DBX3.0Enduro					Extension
Sticker n°	Helmet Internal Id	Helmet Client Id	Size	Chin strap	Dinamical ≤ 30 [mm]
	16-2022	DBX 3.0Enduro	54	MICRO	21
	16-2023	DBX 3.0Enduro	54	MICRO	22
	16-2024	DBX 3.0Enduro	54	MICRO	20
	16-2025	DBX 3.0Enduro	54	MICRO	23

POSITIONAL STABILITY TEST (ROLL OFF RESISTANCE)				
Internal Identification Test: CP04				Ref. 1203.15
Helmet Internal Id: 16-2028		Helmet Client Id: DBX 3.0 AllMtn		
Sticker n°	Helmet Size	Chin strap	Result	
			Pass	Fail
	S	MICRO	X	

Laboratory Technician
(Adolfo Garlando)



Laboratory Manager
(Juan Pablo Cuesta)

